

## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....

NOV 8 1963

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....

NOV 8 1963

Under 21628

The applicant NEVADA LAKESHORE COMPANY, INC.  
 of 2600 Eastshore Drive, County of Washoe,  
 State of Nevada, hereby makes application for permission to appropriate the public  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
 tion; if a copartnership or association, give names of members.) Incorporated as a Nevada  
 corporation at Reno, Nevada in August, 1960.

1. The source of the proposed appropriation is underground. (Well #2)  
Name of stream, lake or other source.
2. The amount of water applied for is one and one-half second feet. One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet. \_\_\_\_\_ acre-feet
3. The water to be used for quasi-municipal (for apartments) and domestic.  
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated) \_\_\_\_\_
  - (b) Stockwater (state number and kinds of animals to be watered) \_\_\_\_\_
  - (c) Other use (describe fully under "No. 11. Remarks") \_\_\_\_\_
  - (d) Power:
    - (1) Horsepower developed. \_\_\_\_\_
    - (2) Point of return of water to stream. \_\_\_\_\_
5. The water is to be diverted from its source at the following point: NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 24, T19N, R19E  
MDB&M or at a point from which the SW corner of said Section 24 bears S 25° 41' 27"  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.  
 W 2862.41 feet.
6. Place of use SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 24, T19N, R19E, MDB&M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1 \_\_\_\_\_ and end about December 31, \_\_\_\_\_, of each year.  
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled encased well; pumps; distribution system.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works..... \$25,000 to \$35,000
10. Estimated time required to construct works..... three years.
11. Remarks....This water if found in sufficient quantity and temperature will serve.....  
80 to 100 apartment units.

Applicant NEVADA LAKESHORE COMPANY, INC.

By s/ Fred Kohlenberg,  
Fred Kohlenberg, President

Compared..... rap/hs..... ns/hs.....

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source, and is limited to what the well will produce but not to exceed 1.5 c.f.s. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening and an air line for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.5..... cubic feet per second, but not to exceed..... 25,000 gallons per day.

Actual construction work shall begin on or before..... September 25, 1964

Proof of commencement of work shall be filed before..... October 25, 1964

Work must be prosecuted with reasonable diligence and be completed on or before..... September 25, 1965

Proof of completion of work shall be filed before..... October 25, 1965

Application of water to beneficial use shall be made on or before..... September 25, 1968

Proof of the application of water to beneficial use shall be filed on or before..... October 25, 1968

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... APR 20 1966

Completion of work filed..... OCT 26 1966

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

Recorded..... Bk..... Page.....

WITNESS MY HAND AND SEAL this..... 25th..... day

of..... March....., 1964

ELMO E. DeRICCO

State Engineer

Assistant State Engineer

REASON(S) FOR DEC 18 1970 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

oland L. Westergard  
STATE ENGINEER